











# PRODUCTS LIST OF HEBEI UNISON INTERNATIONAL CO.,LTD

Series 1-suspended ceiling system for Mideast and Europe











| NAME                                                                                                   | Specification<br>(mm)                                  | Unite | Radix/ Package | Addition instruction                                                                                                                                                    |  |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------|-------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <br>CD60              | 60*27                                                  | m     | 12             |   |  |
| <br>UD28              | 28*27*27                                               | m     | 20             |                                                                                                                                                                         |  |
|                                                                                                        | 28*25*25                                               |       |                |                                                                                                                                                                         |  |
|                                                                                                        | 28*27*25                                               |       |                |                                                                                                                                                                         |  |
| <br>C-Channel 38      | 38*10                                                  | m     | 20             |   |  |
|                                                                                                        | 38*12                                                  |       |                |                                                                                                                                                                         |  |
|                                                                                                        | 38*20                                                  |       |                |                                                                                                                                                                         |  |
| <br>Furring Channel   | 68*35**22                                              | m     | 25             |                                                                                                                                                                         |  |
|                                                                                                        | 60*35*16                                               |       |                |                                                                                                                                                                         |  |
| <br>Perimeter         | 23*25*15<br>joint with Furring<br>68*35*22<br>83*50*22 | m     | 20             |                                                                                                                                                                         |  |
| <br>C-channel        | 45*12                                                  | m     | 20             |                                                                                     |  |
|                                                                                                        | 45*15                                                  |       |                |                                                                                                                                                                         |  |
|                                                                                                        | 50*15                                                  |       |                |                                                                                                                                                                         |  |
| <br>Furring channel | 80*50*27                                               | m     | 20             |                                                                                                                                                                         |  |
|                                                                                                        | 83*50*22                                               |       |                |                                                                                                                                                                         |  |
| <br>perimeter       | 28*23*17<br>joint with Furring<br>80*50*27             | m     | 20             |                                                                                                                                                                         |  |
| Thickness &Lenth can be customized                                                                     |                                                        |       |                |                                                                                                                                                                         |  |

Contact person: Min Lee E-mail: minlee@metal-hebei.com

Mobile: +86-15003213785










## Series 2-suspended ceiling system for Southeast Asia

| NAME                                                                                                 | Specification (mm) | Unite | Radix/ Package | Addition instruction                                                                  |                                                                                       |
|------------------------------------------------------------------------------------------------------|--------------------|-------|----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br>Cross frame     | 35*11              | m     | 20             |    |    |
|                                                                                                      | 35*13              |       |                |                                                                                       |                                                                                       |
|                                                                                                      | 37*18              |       |                |                                                                                       |                                                                                       |
| <br>Metal Batten    | 21*26              | m     | 20             |    |    |
|                                                                                                      | 21*30              |       |                |                                                                                       |                                                                                       |
| <br>Furring channel | 30*10              | m     | 20             |  |  |
|                                                                                                      | 30*11              |       |                |                                                                                       |                                                                                       |
|                                                                                                      | 32*11              |       |                |                                                                                       |                                                                                       |
|                                                                                                      | 35*11              |       |                |                                                                                       |                                                                                       |
| <br>Shadow Line   | 36.5*12            | m     | 20             |  |  |
|                                                                                                      | 28*12.5*14         |       |                |                                                                                       |                                                                                       |
|                                                                                                      | 28*10*12           |       |                |                                                                                       |                                                                                       |
| Thickness & Lenth can be customized                                                                  |                    |       |                |                                                                                       |                                                                                       |

Contact person: Min Lee E-mail: minlee@metal-hebei.com Mobile: +86-15003213785













### Series 3-suspended ceiling system

| NAME                                                                                               | Specification (mm)                          | Unite | Radix/ Package | Addition instruction                                                                 |                                                                                      |
|----------------------------------------------------------------------------------------------------|---------------------------------------------|-------|----------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <br>Metal Keel    | 20x25                                       | m     | 20             |   |   |
|                                                                                                    | 20x28                                       | m     | 20             |                                                                                      |                                                                                      |
|                                                                                                    | 20x32                                       | m     | 20             |                                                                                      |                                                                                      |
|                                                                                                    | 20x38                                       | m     | 20             |                                                                                      |                                                                                      |
| <br>C-line Keel   | 48x15                                       | m     | 20             |                                                                                      |                                                                                      |
|                                                                                                    | 50x19                                       | m     | 20             |                                                                                      |                                                                                      |
|                                                                                                    | 50*17                                       | m     | 20             |                                                                                      |                                                                                      |
| <br>Perimeter     | 20*27*15<br>Joint with C-line<br>keel 50*19 | m     | 20             |                                                                                      |                                                                                      |
| <br>Main channel | 38*12                                       | m     | 20             |  |  |
|                                                                                                    | 50*15                                       | m     | 20             |                                                                                      |                                                                                      |
| <br>C-line keel | 50*19                                       | m     | 20             |                                                                                      |                                                                                      |
|                                                                                                    | 60*27                                       | m     | 20             |                                                                                      |                                                                                      |
| Thickness &Lenth can be customized                                                                 |                                             |       |                |                                                                                      |                                                                                      |

Contact person: Min Lee E-mail: minlee@metal-hebei.com Mobile: +86-15003213785







## Series 4-Wall angle&Corner bead

| Wall angle/corner bead                                                                                                                                                 | Description                              | Unite | Radix/ Package | Wall angle/corner bead                                                                                                                                                                       | Specification (mm)     | Unite | Radix/ Package |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------|----------------|
| <br>Wall angle                                                                        | L shape and Round shape without edgefold | m     | 50             | <br>edge bead                                                                                             | 28*12.5*14             | m     | 20             |
| <br>Wall angle                                                                        | L shape with edgefold                    | m     | 50             | <br>L bead                                                                                                | 28*12                  | m     | 20             |
| <br> | L shape or Round shape                   | m     | 50             | <br>Shadow Line                                                                                           | 28*12.5*14<br>28*10*12 | m     | 20             |
| <br>Corner bead                                                                     |                                          |       |                |  <br>Resilient Bar |                        |       |                |
| <br>Corner bead with plastic (size 30*30)                                           |                                          | m     | 15             |                                                                                                                                                                                              |                        |       |                |



## Series 5-drywall partition for Russia Federation and Europe

| NAME                                                                                                        | STANDARD<br>(mm) | UNIT | RADIX /<br>PACKAGE | NAME                                                                                                     | STANDARD<br>(mm) | UNIT | RADIX /<br>PACKAGE |
|-------------------------------------------------------------------------------------------------------------|------------------|------|--------------------|----------------------------------------------------------------------------------------------------------|------------------|------|--------------------|
| <br>CD60                   | 60*27            | m    | 12                 | <br>CW 75             | 75*50            | m    | 12                 |
| <br>UD 28                  | 27*28            | m    | 20                 | <br>UW 75             | 75*40            | m    | 12                 |
| <br>CW 50                  | 50*50            | m    | 12                 | <br>CW 100            | 100*50           | m    | 8                  |
| <br>UW 50                  | 50*40            | m    | 12                 | <br>UW 100            | 100*40           | m    | 8                  |
| <br>Furring(double edge) | 45*18            | m    | 20                 | <br>Furring channel | 45*25*15         | m    | 20                 |
| <br>Furring(single edge) | 45*18            | m    | 20                 | <br>Furring         | 40*17            | m    | 20                 |
| Thickness & Lenth can be customized                                                                         |                  |      |                    |                                                                                                          |                  |      |                    |



## Series 6-drywall partition for Mideast

| NAME                                                                                           | STANDARD<br>(mm) | UNIT | RADIX /<br>PACKAGE | NAME                                                                                              | STANDARD<br>(mm) | UNIT | RADIX /<br>PACKAGE |
|------------------------------------------------------------------------------------------------|------------------|------|--------------------|---------------------------------------------------------------------------------------------------|------------------|------|--------------------|
| <br>41Stud    | 41*35            | m    | 12                 | <br>70Stud     | 70*34.5/32       | m    | 12                 |
| <br>41Track   | 41*25            | m    | 12                 | <br>72Track    | 72*25            | m    | 12                 |
| <br>50Stud    | 50*35            | m    | 12                 | <br>75Stud     | 75*35            | m    | 12                 |
| <br>50Track   | 50*25            | m    | 12                 | <br>75Track    | 75*25            | m    | 12                 |
| <br>63Stud  | 63*35            | m    | 12                 | <br>100Stud  | 100*35           | m    | 8                  |
| <br>63Track | 63*25            | m    | 12                 | <br>100Track | 100*25           | m    | 8                  |
| Thickness & Lenth can be customized                                                            |                  |      |                    |                                                                                                   |                  |      |                    |

Contact person: Min Lee    E-mail: [minlee@metal-hebei.com](mailto:minlee@metal-hebei.com)    Mobile: +86-15003213785



## Series 7-drywall partition of other sizes




| NAME                                                                                         | SPECIFICATIO<br>(mm) | Unit | RADIX /<br>PACKGE | NAME                                                                                           | SPECIFICATIO<br>(mm) | Unit | RADIX /<br>PACKGE |
|----------------------------------------------------------------------------------------------|----------------------|------|-------------------|------------------------------------------------------------------------------------------------|----------------------|------|-------------------|
| <br>Stud    | 62*31                | m    | 12                | <br>Stud    | 63*31/29             | m    | 12                |
| <br>Track   | 63*27                | m    | 12                | <br>Track   | 64*27                | m    | 8                 |
| <br>Stud    | 89*35/33             | m    | 8                 | <br>Stud    | 74*35/33             | m    | 12                |
|                                                                                              | 89*35*35             | m    |                   |                                                                                                |                      |      |                   |
| <br>Track   | 90*35                | m    | 8                 | <br>Track   | 75*25                | m    | 8                 |
| <br>Stud    | 91*32                | m    | 8                 | <br>Stud    | 91*38/36             | m    | 8                 |
| <br>Track | 92*32                | m    | 8                 | <br>Track | 92*30                | m    | 8                 |
| <br>Stud  | 145*32/34            | m    | 8                 | <br>Stud  | 99*35/33             | m    | 8                 |
| <br>Track | 146*50               | m    | 8                 | <br>Track | 100*52               | m    | 8                 |
| Thickness & Lenth can be customized                                                          |                      |      |                   |                                                                                                |                      |      |                   |



Contact person: Min Lee E-mail: minlee@metal-hebei.com

Mobile: +86-15003213785




## Series 8-Accessories

| Photo                                                                                                                                                                   |  | Specification                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------|
|       |  | cross connection                                  |
|       |  | u-bracket<br>AFRAF7.5CM<br>AFRAF12CM<br>AFRAF20CM |
|     |  | hanger for CD60                                   |
|   |  | Two-level hanger for CD60                         |
|                                                                                      |  | Loop rod                                          |

| Photo                                                                                                                                                                       |  | Specification                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------|
|       |  | Connection for CD60             |
|       |  | Extender for CD60               |
|     |  | Hanger for CD60                 |
|   |  | Extender for Main channel 38&50 |
|                                                                                        |  | Screw rod                       |



|                                                                                     |                                              |                          |               |                                                                                      |  |                                                                           |  |
|-------------------------------------------------------------------------------------|----------------------------------------------|--------------------------|---------------|--------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------|--|
|    |                                              | Hook rod                 |               |   |  | Nut & Expansion bolt                                                      |  |
|    |                                              | Spring clip              |               |   |  | C clip for C channel 38*12                                                |  |
|    |                                              | Two-level cross coupling |               |   |  | hanger for C channel 38*12                                                |  |
|    |                                              | hanger                   |               |   |  | Furring clip                                                              |  |
|   |                                              | Anchor Angle             |               |  |  | Drywall screw<br>Diameter :3.5mm, length<br>25mm ,35mm, 45mm,<br>50mm etc |  |
|  | plastering<br>10mm/6mm<br>galvanized profile | 22*10                    | 100pcs/carton | thickness 0.28, 0.30, 0.35mm                                                         |  |                                                                           |  |
|                                                                                     |                                              | 22*6                     | 100pcs/carton |                                                                                      |  |                                                                           |  |

Min Lee

Mobile:+86-15003213785

E-mail: minlee@metal-hebei.com

Skype: zhihuisteel

Website: <https://www.ceilingdrywall.com>